

Halogen reflector

13158 150W GX5.3 21V 1CT

Quartz halogen lamps with integral reflector which serves as an efficient mirror condenser system



Product data

• General Characteristics

Philips Code	13158
ANSI Code	ELD/EJN
J Code	-
LIF Code	-
Cap-Base	GX5.3
Cap-Base Information	-
Bulb	R50
Bulb Material	Quartz-UV Open
Reflector Finish	Stippled
Filament Shape	-
Burning Position	s90
Main Application	Projection
Life to 50% failures	40 hr

• Light Technical Characteristics

Colour Rendering Index	100 Ra8
Colour Temperature Technical	3400 K
Lamp Luminous Flux	320 Lm

• Electrical Characteristics

Rated Lamp Wattage	150 W
Voltage	21 V
Dimmable	yes

• Luminaire Design Requirements

Pinch Temperature	400 (max) C
Bulb Temperature	900 (max) C
Working Distance	165 mm
WD	

• Product Dimensions


Overall Length C	44.45 (max) mm
Diameter D	50.67 (max) mm
Filament Dimensions (WxH) [mm]	-

• Product Data

Order code	410603 30
Full product code	871150041060330
Full product name	13158 150W GX5.3 21V 1CT
Order product name	ELD 150W 21V 24PK
Pieces per pack	1
Packing configuration	24
Packs per outerbox	24
Bar code on pack - EAN1	8711500410603
Bar code on outerbox - EAN3	8711500419040
Logistic code(s) - 12NC	923921319894
Net weight per piece	0.023 kg


PHILIPS

Dimensional drawing



13158 150W GX5.3 21V 1CT

Product	C (Max)	D (Max)	L (Min)	L (Norm)	L (Max)
13158 150W GX5.3 21V	44.45	50.67	-	-	-



GX5.3



© 2014 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2014, February 12
data subject to change