

# Halogen reflector

13938XHP 50W GX5.3 22.8V 1CT



Quartz halogen lamps with integral reflector which serves as an efficient mirror condenser system

## Product data

### • General Characteristics

Philips Code	13938XHP
ANSI Code	-
LIF Code	-
Cap-Base	GX5.3
Bulb	R50
Bulb Material	Quartz-UV Open
Reflector Finish	Smooth
Burning Position	any
Main Application	Projection
Life to 50% failures	750 hr

### • Light Technical Characteristics

Colour Rendering Index	100 Ra8
Colour Temperature Technical	3400 K
Lamp Luminous Flux	380 Lm

### • Electrical Characteristics

Rated Lamp Wattage	50 W
Voltage	22.8 V
Dimmable	yes

### • Luminaire Design Requirements

Pinch Temperature	350 (max) C
-------------------	-------------

Bulb Temperature	900 (max) C
------------------	-------------

### • Product Dimensions

Overall Length C	45 (max) mm
Diameter D	50 (max) mm
Filament Dimensions (WxH) [mm]	-


### • Product Data

Order code	438881 60
Full product code	871150043888160
Full product name	13938XHP 50W GX5.3 22.8V 1CT
Order product name	13938XHP 50W GX5.3 22.8V 1CT/10X5F
Pieces per pack	1
Packing configuration	10X5F
Packs per outerbox	50
Bar code on pack - EAN1	8711500438881
Bar code on intermediate packing - EAN2	8711500438898
Bar code on outerbox - EAN3	8711500438904
Logistic code(s) - 12NC	924059828301
Net weight per piece	0.027 kg

**PHILIPS**


# Halogen reflector

## Dimensional drawing



### 13938XHP 50W GX5.3 22.8V 1CT

Product	C (Max)	D (Max)	L (Min)	L (Norm)	L (Max)
13938XHP 50W GX5.3 22.8V	45	50	-	-	-



GX5.3



© 2014 Koninklijke Philips N.V. (Royal Philips)  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2014, April 17  
data subject to change