



# MSI (Touring/Stage)

## MSI 575HR 1CT

The excellent color rendition characteristics of the light produced by the MSI (Touring/Stage) lamp helps ensure that audiences are always enthralled by the true natural colors and textures on the stage. What's more, the high luminous efficacy ensures that these lamps produce consistently high levels of lighting for a relatively small amount of energy consumption, making them the smart on-stage solution in more ways than one.

### Product data

#### • General Characteristics

Cap-Base	SFC10-4
Cap-Base Information	SFC10-4
Operating Position	any
Main Application	Studio/Disco
Life to 50% failures	1000 hr
EM	

#### • Light Technical Characteristics

Color Rendering Index	80 Ra8
Color Temperature	6000 K
Color Temperature Technical	6000 K
Luminous Flux Lamp EM	49000 Lm

#### • Electrical Characteristics

Lamp Wattage	575 W
Lamp Wattage Technical	575 W
Lamp Current	7 A
Dimmable	No

#### • Luminaire Design Requirements

Pinch Temperature	230 (max) C
-------------------	-------------

Bulb Temperature	800 (max) C
------------------	-------------

#### • Product Dimensions


Base Face to Base Face A	115 (max) mm
Overall Length C	136 (max) mm
Diameter D	21.0 (max) mm
Arc Length O	7 mm

#### • Product Data

Order code	924841000040
Full product code	924841000040
Full product name	MSI 575 UNP
Order product name	MSI 575 UNP/1
Pieces per pack	1
Packing configuration	10
Packs per outerbox	10
Bar code on pack - EAN1	8711500212474
Bar code on outerbox - EAN3	8711500212481
Logistic code(s) - 12NC	924841000040
Net weight per piece	0.039 kg

**PHILIPS**

## Dimensional drawing




### MSI 575HR 1CT

Product	A (Max)	C (Max)	D (Max)	O (Norm)
MSI 575HR	115	136	21.0	7



SFC10-4

## Photometric data



© 2014 Koninklijke Philips N.V. (Royal Philips)  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2014, October 31  
data subject to change