TUV TL Mini

TUV 20W FAM

TUV TL Mini lamps are slim double-ended UVC (germicidal) lamps used in residential water and air disinfection units. The small 16 mm diameter of the lamp allows for a small system design and design flexibility. TUV TL Mini lamps offer almost constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy.

Product data

• General Characteristics

System Description	-
Cap-Base	G5
Cap-Base Information	-
Bulb	T16
Main Application	Disinfection
Useful Life	11000 hr

• Light Technical Characteristics

Color Code	-
Color Designation (text)	-

• Electrical Characteristics

Lamp Wattage	20 W
Lamp Wattage Technical	20 W
Lamp Voltage	45 V
Lamp Current	0.450 A

• Environmental Characteristics

Mercury (Hg) Content	4.4 mg

• UV-related Characteristics

UV-C Radiation	6.0 W

• Product Dimensions

Reference Length A	398 (max) mm
Insertion Length B	402.7 (min), 405.1 (max) mm
Overall Length C	412.2 (max) mm
Diameter D	16 (max) mm

• Product Data

Order code	928003404013
Full product code	928003404013
Full product name	TUV 20W FAM
Order product name	TUV 20W FAM/10X25CC
Pieces per pack	1
Packing configuration	10X25CC
Packs per outerbox	250
Bar code on pack - EAN1	8727900813852
Bar code on intermediate packing - EAN2	8727900813869
Bar code on outerbox - EAN3	8727900813876
Logistic code(s) - 12NC	928003404013
Net weight per piece	29.900 gr

PHILIPS

TUV TL Mini

Dimensional drawing



TUV 20W FAM

Product	A (Min)	A (Norm)	A (Max)	B (Min)	B (Norm)	B (Max)	C (Min)	C (Norm)	C (Max)	D (Max)	O (Norm)
TUV 20W	-	-	398	402.7	-	405.1	-	-	412.2	16	-



G5

Photometric data



TUV



TUV

www.philips.com/lighting

2014, October 31
data subject to change