

CorePro LEDbulb

CorePro LEDbulb 9.5-60W 830 E27

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.



Product data

General Information

Cap-Base E27 [E27] Nominal Lifetime 15000 h (Nom) Switching Cycle 50000X Technical Type 9.5-60W


• Light Technical

Color Code 830 [CCT of 3000K] Luminous Flux 806 İm (Nom) Luminous Flux (Rated) (Nom) Color Designation 806 lm White Correlated Color 3000 K Temperature (Nom) Luminous Efficacy (rated) (Nom) Color Consistency 84.84 lm/W 6 steps Color Rendering Index (Nom) LImf At End Of 80 70 % Nominal Lifetime (Nom)

• Operating and Electrical

Input Frequency	50-60 Hz
Power (Rated)	9.5 W
(Nom)	
Lamp Current (Nom)	80 mA
Wattage Equivalent	60 W
Starting Time (Max)	0.5 s
Warm Up Time To	instant full light
60% Light (Nom)	· ·

Dimensional drawing



	Power Factor (Nom) Voltage (Nom)	0.5 220-240 ∨
•	Temperature T-Case Maximum	85 °C
	(Nom)	65 C
•	Controls and Dimming	
	Dimmable	No
•	Mechanical and Housing	
	Bulb Finish	Frosted
•	Approval and Application	n
	Suitable For Accent Lighting	No
	Energy Efficiency Label (EEL)	A+
•	Product Data	
	Full product code Order product name EAN/UPC - Product Order code	871869649754800 CorePro LEDbulb 9.5-60W 830 E27 8718696497548 929001162202


EAN/UPC - Product8718696497548Order code929001162202Numerator - Quan-
tity Per Pack1Numerator - Packs10per outer box10Material Nr. (12NC)929001162202Net Weight (Piece)0.076 kg

LED 9.5-60W E27 830

Product	D	С	
CorePro LEDbulb 9.5-60W 830 E27	61 mm	110 mm	

2015, December 24 data subject to change

Dimensional drawing





© 2015 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting