

CorePro LEDbulb

CorePro LEDbulb D 6-40W 827 E27

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.



CorePro LEDbulb

Product data

• General Information

Cap-Base E27 [E27]
Nominal Lifetime 15000 h
(Nom)
Switching Cycle 50000X
Technical Type 6-40W


• Light Technical

827 [CCT of 2700K] Color Code Luminous Flux 470 lm (Nom) Luminous Flux 470 lm (Rated) (Nom) Color Designation White (WH) Correlated Color 2700 K Temperature (Nom) 78.33 lm/W Luminous Efficacy (rated) (Nom) Color Consistency 6 steps Color Rendering Index (Nom) Llmf At End Of 70 % Nominal Lifetime (Nom)

• Operating and Electrical

Input Frequency 50-60 Hz Power (Rated) 6 W (Nom) Lamp Current (Nom) 35 mA Wattage Equivalent 40 W Starting Time (Max) $0.5 \ s$ Warm Up Time To instant full light 60% Light (Nom) 0.7 Power Factor (Nom)

Dimensional drawing



Voltage (Nom) 220-240 V

• Temperature

T-Case Maximum 65 °C (Nom)

• Controls and Dimming

Dimmable Yes

• Mechanical and Housing

Bulb Finish Frosted (FR)

Approval and Application

Suitable For Accent No
Lighting
Energy Efficiency A+
Label (EEL)
Energy Consumption 6 kWh
kWh/1000 h

• Product Data

Full product code 871869647881300 Order product name CorePro LEDbulb D 6-40W 827 E27 EAN/UPC - Product 8718696478813 Order code 929001159202 Numerator - Quantity Per Pack Numerator - Packs 10 per outer box . Material Nr. (12NC) 929001159202 Net Weight (Piece) 0.076 kg

LED D 6-40W E27 827

 Product
 D
 C

 CorePro LEDbulb D 6-40W 827 E27
 60 mm
 110 mm

CorePro LEDbulb

Dimensional drawing





© 2015 Philips Lighting Holding B.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.