

CorePro LEDbulb

CorePro LEDbulb 5.5-40W 865 E27

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.



Product data

General Information

Cap-Base E27 [E27] Nominal Lifetime 15000 h (Nom) Switching Cycle 50000X Technical Type 5.5-40W


• Light Technical

Color Code 865 [CCT of 6500K] Luminous Flux 470 İm (Nom) Luminous Flux 470 lm (Rated) (Nom) Color Designation White (WH) Correlated Color 6500 K Temperature (Nom) Luminous Efficacy 85.45 lm/W (rated) (Nom) Color Consistency 6 steps Color Rendering 80 Index (Nom) Llmf At End Of 70 % Nominal Lifetime (Nom)

• Operating and Electrical

Input Frequency	50-60 Hz
Power (Rated)	5.5 W
(Nom)	
Lamp Current (Nom)	55 mA
Wattage Equivalent	40 W
Starting Time (Max)	0.5 s
Warm Up Time To	instant full light
60% Light (Nom)	-
Power Factor (Nom)	0.5

Dimensional drawing



Voltage (Nom) 220-240 V • Temperature 98 °C T-Case Maximum (Nom) • Controls and Dimming Dimmable No • Mechanical and Housing Bulb Finish Frosted (FR) • Approval and Application Suitable For Accent No Lighting Energy Efficiency Label (EEL) A+ Energy Consumption kWh/1000 h 6 kWh • Product Data Full product code 871869649762300 Order product name CorePro LEDbulb 5.5-40W 865 E27 EAN/UPC - Product


Order product nameCorePro LEDbulb 5.5-40W 865 EEAN/UPC - Product8718696497623Order code929001163502Numerator - Quan-1tity Per Pack10Per outer box929001163502Material Nr. (12NC)929001163502Net Weight (Piece)0.076 kg

LED 5.5-40W E27 865

Product	D	С
CorePro LEDbulb 5.5-40W 865 E27	61 mm	110 mm

2015, December 23 data subject to change

Dimensional drawing





© 2015 Philips Lighting Holding B.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting