



## CorePro LEDbulb

CorePro LEDbulb 6-40W 827 E27

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.

**PHILIPS**

## Product data

### • General Information

Cap-Base	E27 [ E27]
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	6-40W

### • Light Technical

Color Code	827 [ CCT of 2700K]
Luminous Flux (Nom)	470 lm
Luminous Flux (Rated) (Nom)	470 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	78.33 lm/W
Color Consistency	6 steps
Color Rendering Index (Nom)	80
Lmf At End Of Nominal Lifetime (Nom)	70 %

### • Operating and Electrical

Input Frequency	50-60 Hz
Power (Rated) (Nom)	6 W
Lamp Current (Nom)	60 mA
Wattage Equivalent	40 W
Starting Time (Max)	0.5 s
Warm Up Time To 60% Light (Nom)	instant full light
Power Factor (Nom)	0.5

Voltage (Nom)	220-240 V
---------------	-----------

### • Temperature

T-Case Maximum (Nom)	98 °C
----------------------	-------

### • Controls and Dimming

Dimmable	No
----------	----

### • Mechanical and Housing

Bulb Finish	Frosted (FR)
-------------	--------------


### • Approval and Application

Suitable For Accent Lighting	No
Energy Efficiency Label (EEL)	A+
Energy Consumption kWh/1000 h	6 kWh

### • Product Data

Full product code	871869649080800
Order product name	CorePro LEDbulb 6-40W 827 E27
EAN/UPC - Product	8718696490808
Order code	929001171802
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001171802
Net Weight (Piece)	0.076 kg

## Dimensional drawing



### LED 6-40W E27 827

Product	D	C
CorePro LEDbulb 6-40W 827 E27	60 mm	110 mm

## Dimensional drawing



© 2015 Philips Lighting Holding B.V.  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2015, December 28  
data subject to change